

Quality Polymers



MANUFACTURED IN THE USA



25 Years of Innovation!

RANTEC CORPORATION

PO Box 729
Ranchester, WY 82839

Phone: (307) 655-9565

Fax: (307) 655-9528

www.ranteccorp.com

e-mail: rantec@ranteccorp.com

XL™

CROSSLINKING ADDITIVE

PRODUCT DESCRIPTION

XL™ is a liquid crosslinking additive for guar gum based tackifiers.

TYPICAL PROPERTIES

Appearance	Light to Dark Liquid
Bulk Density	1.2 g/cc
Ionic Character	Nonionic
pH	3.3±0.5

APPLICATION GUIDELINES

XL™ is an insolublizing additive for guar gum solutions. **XL™** can be used to increase solution viscosity and/or to decrease the solubility of the guar polymer once cured.

Specific conditions may exist for erosion control that requires long term matrix stabilization.

XL™ is used to insolublize the guar polymer, thus increasing the longevity of its adhesion qualities. Once cured, the guar gum based tackifier will resist re-wetting for an extended period of time.

PREPARATION

For erosion control the liquid **XL™** is added to the water prior to the guar gum tackifier. It is recommended that **XL™** be added at 40% of the guar, ie. for a 40% rate, 20 lbs of **XL™** is added per 50 lbs of guar.

STORAGE & HANDLING

XL™ should be stored in a dry, cool warehouse protected from damage to packaging.

SAFETY

See Material Safety Data Sheet.

PACKAGING

XL™ is packaged in 1 gallon (10lbs per gallon) plastic containers, 4 gallons per case. Call Rantec for alternative packaging.